



Maria Comninou  
Direct Dial: 248-641-1295  
maria@hdp.com

March 31, 2008

Commissioner for Patents  
U.S. Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: U.S. Patent No. 7,323,012  
Issued: January 29, 2008  
Application No. 10/802,679  
Inventors: Kevin T. Stone, *et al.*  
For: ANKLE IMPLANT  
Our Ref. No.: 5490-000376

**REQUEST FOR CERTIFICATE OF CORRECTION**  
**UNDER 37 CFR §1.323**

Sir:

We have reviewed the above-identified patent and have found the following typographical errors in the patent which require correction:

Column 2, Line 61, delete "and or/the" and substitute --and/or the--.

Column 2, Line 66, delete "an".

Column 4, Line 43, Claim 8, delete "a".

A Certificate of Correction form is attached for approval. An electronic payment of \$100.00 is authorized through the electronic filing system. However, if Applicants have not paid a sufficient fee, please consider this authorization to charge Deposit Account No. 08-0750 for any underpayment.

Respectfully submitted,

By: 

Maria Comninou  
Reg. No. 44,626  
Richard W. Warner  
Reg. No. 38,043

RWW/MC/sms  
Attachment